BRAIN RESEARCH

VOL. 752 NOS. 1,2 **CONTENTS** **28 MARCH 1997**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Note v

Guidelines for the submission of manuscripts vii

Research reports

Multifocal brain damage induced by phencyclidine is augmented by pilocarpine
T.D. Corso, M.A. Sesma, T.I. Tenkova, T.C. Der, D.F. Wozniak, N.B. Farber and J.W. Olney (USA) 1

Distribution of centrifugal neurons targeting the soma clusters of the olfactory midbrain among decapod crustaceans
M. Schmidt (Germany) 15

Cellular distribution of the rat D_4 dopamine receptor protein in the CNS using anti-receptor antisera
M.A. Ariano, J. Wang, K.L. Noblett, E.R. Larson and D.R. Sibley (USA) 26

Human Aβ-amyloid and amyloid precursor protein accumulates in rat brain cells after cultured human leptomeningeal fibroblast implants
L.A. DeGiorgio, J.J. Bernstein, L. Manuelidis and J.P. Blass (USA) 35

Identification of hypothalamic vasopressin and oxytocin neurons activated during the exercise pressor reflex in cats
J. Li, G.A. Hand, J.T. Potts and J.H. Mitchell (USA) 45

Effects of the capsaicin analogue resiniferatoxin on spinal nociceptive mechanisms in the rat: behavioral, electrophysiological and in situ hybridization studies
X.-J. Xu, T. Farkas-Szallasi, J.M. Lundberg, T. Hökfelt, Z. Wiesenfeld-Hallin and A. Szallasi (Sweden) 52

Differential anxiolytic effects of neurosteroids in the mirrored chamber behavior test in mice
D.S. Reddy and S.K. Kulkarni (India) 61

Composition of white matter bovine brain coated vesicles: evidence that several components influence β-amyloid peptide to form oligomers and aggregates in vitro
M.J. Berg, R. Durrie, V.S. Sapirstein and N. Marks (USA) 72

Thermosensitive neurons of the diagonal band in rats: relation to wakefulness and non-rapid eye movement sleep
Md.N. Alam, D. McGinty and R. Szymusiak (USA) 81

Physiological evidence for hippocampal disinhibition resulting from activation of the median raphe
K. Kao, M.J. Sanders and E.J. Green (USA) 90

Application of silicon microphysiometry to tissue slices: detection of metabolic correlates of selective vulnerability
O.A. Ajilore and R.M. Sapolsky (USA) 99

Regional changes in constitutive, but not inducible NOS expression in the brains of mice infected with the LP-BM5 leukemia virus
Y. Li, Y. Kustova, Y. Sei and A.S. Basile (USA) 107

Quantitative cytochemistry of cytochrome oxidase and cellular morphometry of the human inferior colliculus in control and Alzheimer's patients
F. Gonzalez-Lima, J. Valla and S. Matos-Collazo (USA) 117

Genetic factors regulate processes related to anxiety in mice
Y. Clément, M.-F. Proeschel, D. Bondoux, F. Girard, J.-M. Launay and G. Chapouthier (France) 127

Prior exposure to a brief restraint session facilitates the occurrence of fear in response to a conflict situation: behavioral and neurochemical correlates
I.D. Martijena, N. Calvo, M. Volosin and V.A. Molina (Argentina) 136

Low but not high rate noxious radiant skin heating evokes a capsaicin-sensitive increase in spinal cord dorsal horn release of substance P
V. Zachariou, B.D. Goldstein and D.C. Yeomans (USA) 143

Evaluation of learning and memory dysfunction and histological findings in rats with chronic stage contusion and diffuse axonal injury
T. Yamaki, N. Murakami, Y. Iwamoto, T. Sakakibara, N. Kobori, S. Ueda, T. Kikuchi and Y. Uwahodo (Japan) 151

Regeneration of periodontal primary afferents of the rat incisor following injury of the inferior alveolar nerve with special reference to neuropeptide Y-like immunoreactive primary afferents
S.H. Youn, M. Sakuda, K. Kurisu and S. Wakisaka (Japan) 161

Effects of external calcium on zinc modulation of AMPA receptors
J.C. Dreixler and J.P. Leonard (USA) 170

Two distinct subgroups of cholecystokinin-immunoreactive cortical interneurons
Y. Kubota and Y. Kawaguchi (Japan) 175

Atropine decreases drinking but not feeding and induces less hypothalamic acetylcholine release in diabetic rats
E. Murzi, P. Rada, M. Puig de Parada, M.A. Parada, B. Valecillos, C.A. Tilac and L. Hernandez (Venezuela) 184

(contents continued on p. 334)

0006-8993(19970328)752:1/2;1-H

(contents continued)

Severe learning deficits in apolipoprotein E-knockout mice in a water maze task
M.S. Oitzl, M. Mulder, P.J. Lucassen, L.M. Havekes, J. Grootendorst and E.R. De Kloet (The Netherlands) 189
Bicuculline administered into the amygdala after training blocks benzodiazepine-induced amnesia
H. Dickinson-Anson and J.L. McGaugh (USA) 197
The phospholipase A_2 inhibitor, quinacrine, reduces infarct size in rats after transient middle cerebral artery occlusion
A.Y. Estevez and J.W. Phillis (USA) 203
C57BL/6 strain is most susceptible to cerebral ischemia following bilateral common carotid occlusion among seven mouse strains: selective neuronal death in the murine transient forebrain ischemia
G. Yang, K. Kitagawa, K. Matsushita, T. Mabuchi, Y. Yagita, T. Yanagihara and M. Matsumoto (Japan) 209
C3H/HeJ mice are refractory to lipopolysaccharide in the brain
R.W. Johnson, G. Gheusi, S. Segreti, R. Dantzer and K.W. Kelley (USA, France) 219
Dopamine D_1 and D_2 receptor binding sites in brain samples from depressed suicides and controls
C. Bowden, A.E. Theodorou, S.C. Cheetham, S. Lowther, C.L.E. Katona, M.R. Crompton and R.W. Horton (UK) 227
Effects of ibogaine and noribogaine on the antinociceptive action of μ-, δ- and κ-opioid receptor agonists in mice
H.N. Bhargava, Y.-J. Cao and G.-M. Zhao (USA) 234
Inhibitory effects evoked from both the lateral and ventrolateral periaqueductal grey are selective for the nociceptive responses of rat dorsal horn neurones
A.J. Waters and B.M. Lumb (UK) 239
Effects of ibogaine on the development of tolerance to antinociceptive action of μ-, δ- and κ-opioid receptor agonists in mice
Y.-J. Cao and H.N. Bhargava (USA) 250
NMDA receptor dependence of the input specific NMDA receptor-independent LTP in the hippocampal CA1 region
M. Pananceau and B. Gustafsson (Sweden) 255
Predominant expression of Brn-2 in the postmitotic neurons of the developing mouse neocortex
K. Hagino-Yamagishi, Y. Saijoh, M. Ikeda, M. Ichikawa, R. Minamikawa-Tachino and H. Hamada (Japan) 261
High levels of human chymase expression in the pineal and pituitary glands
O. Baltatu, H. Nishimura, S. Hoffmann, G. Stoltenburg, I.D. Haulica, A. Lippoldt, D. Ganten and H. Urata (Germany, Romania, Japan) 269
Sex differences in bicuculline-induced convulsions: interaction with stress and ligands of benzodiazepine binding sites
D. Peričić and M. Bujas (Croatia) 279
Hypothyroidism coordinately and transiently affects myelin protein gene expression in most rat brain regions during postnatal development
N. Ibarrola and A. Rodríguez-Peña (Spain) 285
Protein synthesis-dependent and -independent mechanisms for the regulation of GnRH RNA transcript levels in GT1 cells
T.T. Yeo, A.C. Gore, M. Blum and J.L. Roberts (USA) 294
Increased calpain content and progressive degradation of neurofilament protein in spinal cord injury
N.L. Banik, D.C. Matzelle, G. Gantt-Wilford, A. Osborne and E.L. Hogan (USA) 301
Impact of pregnancy and lactation on $GABA_A$ receptor and central-type and peripheral-type benzodiazepine receptors
R. Weizman, E. Dagan, S.H. Snyder and M. Gavish (Israel) 307

Short communications

bFGF and FGFR-3 immunoreactivity in the rat brain following systemic kainic acid administration at convulsant doses: localization of bFGF and FGFR-3 in reactive astrocytes, and FGFR-3 in reactive microglia
J. Ballabriga, E. Pozas, A.M. Planas and I. Ferrer (Spain) 315
Lactation reduces Fos induction in the paraventricular and supraoptic nuclei of the hypothalamus after urethane administration in rats
B. Woodside and S. Amir (Canada) 319
Effect of lesion of the hypothalamic mamillary nuclei on skin blood vessel permeability in normal and capsaicin-pretreated rats
Z.S. Tolochko and G.B. Knyazeva (Russia) 324
DCG-IV, a potent metabotropic glutamate receptor agonist, as an NMDA receptor agonist in the rat cortical slice
Y. Uyama, M. Ishida and H. Shinozaki (Japan) 327

Author Index 331